

Revision date: 05-Jan-2007 Version: 1.2 Page 1 of 6

### IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Inc
Pfizer Inc
Pfizer Pharmaceuticals Group
Ramsgate Road
235 East 42nd Street
Sandwich, Kent
New York, New York 10017
CT13 9NJ
1-212-573-2222
United Kingdom
+00 44 (0)1304 616161

Emergency telephone number: Emergency telephone number:

Material Name: Verapamil HCI Caplets, Sustained Release

Trade Name: Calan® Chemical Family: Mixture

Intended Use: Pharmaceutical product used as Antianginal; antihypertensive.

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

### **Hazardous**

Ingredient	CAS Number	<b>EU EINECS List</b>	%
Verapamil Hydrochloride	152-11-4	205-800-5	33 - 34
Microcrystalline cellulose	9004-34-6	232-674-9	*
Magnesium Stearate	557-04-0	209-150-3	*

Ingredient	CAS Number	<b>EU EINECS List</b>	%
Opadry	Not assigned	Not listed	*
Povidone	9003-39-8	Not listed	*
Sodium alginate	9005-38-3	Not listed	*

Additional Information: \* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

## 3. HAZARDS IDENTIFICATION

**Appearance:** Pink or green film-coated caplet.

Signal Word: DANGER

Statement of Hazard: Toxic if swallowed.

Suspected of damaging the unborn child.

**Additional Hazard Information:** 

**Short Term:** Not expected to cause skin irritation, eye irritation (based on components).

Long Term: Repeat-dose studies in animals have shown a potential to cause adverse effects on liver

(based on components).

**Known Clinical Effects:** May cause low blood pressure and dizziness. Occasional, transient changes reported in liver

function tests, but no liver damage seen. This material has been shown to be secreted in low

concentrations in human breast milk.

Material Name: Verapamil HCI Caplets, Sustained Release

Revision date: 05-Jan-2007 Version: 1.2

EU Indication of danger: Toxic

Toxic to Reproduction; Category 3

**EU Hazard Symbols:** 



**EU Risk Phrases:** 

R25 - Toxic if swallowed.

R63 - Possible risk of harm to the unborn child.

**Note:** This document has been prepared in accordance with standards for workplace safety, which

require the inclusion of all known hazards of the active substance or its intermediates regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your

Page 2 of 6

workplace.

### 4. FIRST AID MEASURES

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

**Skin Contact:** Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

**Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

**Inhalation:** Remove to fresh air and keep patient at rest. Seek medical attention immediately.

# 5. FIRE FIGHTING MEASURES

**Extinguishing Media:** Use carbon dioxide, dry chemical, or water spray.

Hazardous Combustion Products: May emit toxic fumes such as oxides of nitrogen and chlorine gas.

Fire Fighting Procedures: During all fire fighting activities, wear appropriate protective equipment, including self-

contained breathing apparatus.

Fire / Explosion Hazards: Not applicable

### 6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see

Section 8). Minimize exposure.

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spilled material by a method that

controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of

dry solids. Clean spill area thoroughly.

Measures for Environmental

**Protections:** 

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to

avoid environmental release.

**Additional Consideration for Large** 

Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

Page 3 of 6

Material Name: Verapamil HCI Caplets, Sustained Release

Revision date: 05-Jan-2007 Version: 1.2

# 7. HANDLING AND STORAGE

**General Handling:** If tablets or capsules are crushed and/or broken, avoid breathing dust and avoid contact with

eyes, skin, and clothing.

Store at controlled room temperature. Protect from light. **Storage Conditions:** 

**Storage Temperature:** (15-25°C)

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Microcrystalline cellulose

Australia TWA

**OSHA - Final PELS - TWAs:**  $= 15 \text{ mg/m}^3 \text{ TWA}$ total

 $= 5 \text{ mg/m}^3 \text{ TWA}$ = 10 mg/m<sup>3</sup> TWA **ACGIH Threshold Limit Value (TWA)**  $= 10 \text{ mg/m}^3 \text{ TWA}$ 

**Magnesium Stearate** 

**ACGIH Threshold Limit Value (TWA)**  $= 10 \text{ mg/m}^3 \text{ TWA}$ except stearates of toxic metals

 $= 10 \text{ mg/m}^3 \text{ TWA}$ **Australia TWA** 

The exposure limit(s) listed for solid components are only relevant if dust may be generated.

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Verapamil Hydrochloride

Pfizer Occupational Exposure OEB3 (control exposure to the range of >10ug/m³ to < 100ug/m³)

Band (OEB):

**Engineering Controls:** Engineering controls should be used as the primary means to control exposures. Use process

containment, local exhaust ventilation, or other engineering controls to maintain airborne levels within the OEB range. Keep airborne contamination levels below the exposure limits listed

above in this section.

**Personal Protective Equipment:** 

Hands: Not required for the normal use of this product. Wear protective gloves when working with

large quantities.

Eyes: Not required under normal conditions of use. Wear safety glasses or goggles if eye contact is

possible.

Skin: Not required for the normal use of this product. Wear protective clothing when working with

large quantities.

Respiratory protection: Not required for the normal use of this product. If airborne exposures are within or exceed the

Occupational Exposure Band (OEB) range, wear an appropriate respirator with a protection

factor sufficient to control exposures to the bottom of the OEB range.

### 9. PHYSICAL AND CHEMICAL PROPERTIES:

**Physical State:** Film-coated Caplets . Color: Pink or green.

Molecular Formula: Mixture Molecular Weight: Mixture

Material Name: Verapamil HCI Caplets, Sustained Release

Revision date: 05-Jan-2007 Version: 1.2

### 10. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions of use.

Conditions to Avoid: Exposure to light.

**Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers.

# 11. TOXICOLOGICAL INFORMATION

General Information: The information included in this section describes the potential hazards of the individual

ingredients.

### Acute Toxicity: (Species, Route, End Point, Dose)

### Microcrystalline cellulose

Rat Oral LD50 > 5000 mg/kg Rabbit Dermal LD50 > 2000 mg/kg

### Verapamil Hydrochloride

Rat Oral LD 50 108 mg/kg

Mouse Oral LD 50 163 mg/kg

Rat Intravenous LD 50 16 mg/kg

Mouse Intravenous LD 50 5795 mg/kg

Rat Subcutaneous LD 50 107 mg/kg

#### **Povidone**

Rat Oral LD50 100 g/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

### Irritation / Sensitization: (Study Type, Species, Severity)

### Microcrystalline cellulose

Skin Irritation Rabbit Non-irritating Eye Irritation Rabbit Non-irritating

# Verapamil Hydrochloride

Skin Irritation Rabbit Mild

# Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

### **Magnesium Stearate**

13 Week(s) Rat Oral 1092 g/kg LOAEL Liver

## Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

### Verapamil Hydrochloride

Reproductive & Fertility Rat Oral 55 mg/kg/day NOAEL Fertility

Embryo / Fetal Development Rat Oral 60 mg/kg/day NOAEL Not Teratogenic Embryo / Fetal Development Rat Oral 60 mg/kg/day LOAEL Fetotoxicity

Embryo / Fetal Development Rabbit Oral 15 mg/kg/day NOAEL Not Teratogenic

### Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

### Verapamil Hydrochloride

Page 4 of 6

Page 5 of 6

Material Name: Verapamil HCI Caplets, Sustained Release

Revision date: 05-Jan-2007 Version: 1.2

Bacterial Mutagenicity (Ames) Salmonella, E. coli Negative

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Verapamil Hydrochloride

18 Month(s) Rat Oral 58 mg/kg/day NOAEL Not carcinogenic 2 Year(s) Rat Oral 120 mg/kg/day NOAEL Not carcinogenic

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

See below

**Povidone** 

IARC: Group 3

# 12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties have not been thoroughly investigated. Releases to the environment

should be avoided.

# 13. DISPOSAL CONSIDERATIONS

**Disposal Procedures:** Dispose of waste in accordance with all applicable laws and regulations.

# 14. TRANSPORT INFORMATION

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

# 15. REGULATORY INFORMATION

EU Symbol:

EU Indication of danger: Toxic

Toxic to Reproduction; Category 3

**EU Risk Phrases:** 

R25 - Toxic if swallowed.

R63 - Possible risk of harm to the unborn child.

**EU Safety Phrases:** 

S22 - Do not breathe dust.

S28 - After contact with skin, wash immediately with plenty of water.

S36/37 - Wear suitable protective clothing and gloves.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label

where possible).

S53 - Avoid exposure - obtain special instructions before use.

Page 6 of 6

Material Name: Verapamil HCI Caplets, Sustained Release

Revision date: 05-Jan-2007 Version: 1.2

### **OSHA Label:**

**DANGER** 

Toxic if swallowed.

Suspected of damaging the unborn child.

### Canada - WHMIS: Classifications

### WHMIS hazard class:

Class D, Division 1, Subdivision B Class D, Division 2, Subdivision A



Verapamil Hydrochloride

Australia (AICS): Present EU EINECS List 205-800-5

**Povidone** 

Inventory - United States TSCA - Sect. 8(b) XU
Australia (AICS): Present

Sodium alginate

Inventory - United States TSCA - Sect. 8(b) XU
Australia (AICS): Present

Microcrystalline cellulose

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS List

XU

Present
232-674-9

**Magnesium Stearate** 

Inventory - United States TSCA - Sect. 8(b)PresentAustralia (AICS):PresentEU EINECS List209-150-3

# 16. OTHER INFORMATION

**Reasons for Revision:** Updated Section 3 - Hazard Identification. Updated Section 5 - Fire Fighting Measures.

Updated Section 7 - Handling and Storage. Updated Section 10 - Stability and Reactivity.

Updated Section 15 - Regulatory Information.

Prepared by: Corporate Occupational Toxicology & Hazard Assessment

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied.

**End of Safety Data Sheet**